RECEIVED
CENTRAL FAX CENTER
JUL 1 4 2008

USSN: 10/567,974 Group Art Unit: 1714

Docket No.: 160P1582USWO

## **Pending Claims**

A detailed list of all claims under examination is below. Please amend claims 1, 24, and 33 as shown below.

- 1. (currently amended): A composition comprising:
  - a) a sulfonated polyurethane polymer comprising the reaction product of:
    - i) a polyisocyanate;
    - ii) a sulfonated polyol;
  - b) a second polymer formed from vinyl unsaturated monomers in the presence of the sulfonated polymethane polymer; and
  - c) water;

wherein the sulfonated polyurethane polymer comprises ethylenic groups; and the composition has a VOC of less than about 5 % based on the total weight of the composition.

- 2. (original): The composition of claim 1, wherein the polyurethane polymer further comprises a sulfonated polyol without ethylenic groups.
- 3. (original): The composition of claim 1, wherein the polyurethane polymer further comprises a sulfonated polyol with ethylenic groups.
- 4. (previously presented): The composition of claim 1, wherein the sulfonated polyol comprises an aliphatic or aromatic diacid having at least one sulfonate group.
- 5. (previously presented): The composition of claim 4, wherein the sulfonated diacid comprises from about 3 to about 10 weight percent based on the weight of the polyurethane polymer.
- 6. (original): The composition of claim 5, wherein the sulfonated diacid comprises from about 4 to about 8 weight percent based on the weight of the polyurethane polymer.

Docket No.: 160P1582USWO

- 7. (original): The composition of claim 6, wherein the sulfonated diacid comprises from about 5.5 to about 7.5 weight percent based on the weight of the polyurethane polymer.
- 8. (previously presented): The composition of claim 1, wherein the second polymer comprises vinyl monomers selected from the group consisting of acrylic acid, methacrylic acid, methacrylate, ethyl acrylate, propyl acrylate, butyl acrylate, 2-ethylhexyl acrylate, methyl methacrylate, ethyl methacrylate, propyl methacrylate, butyl methacrylate, 2-ethylhexyl methacrylate, hydroxyethyl acrylate, hydroxyethyl methacrylate, 2-(acetoacetoxy)ethylmethacrylate, acrylamide, methylacrylamide, diacetone acrylamide, styrene, α-methyl styrene, vinyl toluene, vinyl acetate, vinyl propionate, and mixtures thereof.
- 9. (previously presented): The composition of claim 8, wherein the second polymer comprises vinyl monomers selected from the group consisting of acrylic acid, methacrylic acid, methacrylate, ethyl acrylate, propyl acrylate, butyl acrylate, 2-ethylhexyl acrylate, methyl methacrylate, ethyl methacrylate, propyl methacrylate, butyl methacrylate, 2-ethylhexyl methacrylate, hydroxyethyl acrylate, hydroxyethyl methacrylate, acrylamide, methylacrylamide, styrene, α-methyl styrene, vinyl toluene, vinyl acetate, vinyl propionate, and mixtures thereof.
- 10. (original): The composition of claim 9, wherein the second polymer comprises methyl methacrylate, butyl acrylate, styrene, vinyl acetate, or a mixture thereof.
- 11. (previously presented): The composition of claim 8, wherein the second polymer is a poly(meth)acrylate polymer.
- 12. (original): The composition of claim 11, wherein, the poly(meth)acrylate polymer comprises a copolymer of an acrylate ester, methacrylate ester, acrylamide, methacrylamide, acrylic acid, methacrylic acid, or a mixture thereof.

Docket No.: 160P1582USWO -

- 13. (original): The composition of claim 12, wherein the poly(meth)acrylate polymer comprises vinyl monomers selected from the group consisting of comprising methyl acrylate, ethyl acrylate, butyl acrylate, 2-ethylhexyl acrylate, methyl methacrylate, ethyl methacrylate, butyl methacrylate, and mixtures thereof.
- 14. (previously presented): The composition of claim 13, wherein the poly(meth)acrylate polymer comprises methyl methacrylate, butyl acrylate, or a mixture thereof.
- 15. (original): The composition of claim 14, wherein the second polymer further comprises styrene, vinyl acetate, or a mixture thereof.
- 16. (previously presented): The composition of claim 1, wherein the second polymer is polymerized using a free radical catalyst.
- 17. (previously presented): The composition of claim 1, wherein the polyisocyanate is 1,2ethylene diisocyanate, 1,4-tetramethylene diisocyanate, 1,6-hexamethylene diisocyanate, 2,2,4-trimethyl-1,6-hexmethylene diisocyanate, 2,4,4-trimethyl-1,6-hexmethylene diisocyanate, 1,12-dodecane diisocyanate, cyclobutane 1,3-diisocyanate, cyclohexane 1,3-diisocyanate, cyclohexane-1,4-diisocyanate, bis(4-isocyanatocyclohexyl)methane, 1methylcyclohexane-2,2-diisocyanate, 1-methylcyclohexane-2,6-diisocyanate, 3isocyanatomethyl-3,5,5-trimethyl-cyclohexyl isocyanate, 2,5-bis(isocyanatomethyl)-8methyl-1,4,-methano-decahydronaphthalene, 3,5-bis(isocyanatomethyl)-8-methyl-1,4,methano-decahydronaphthalene, 2,6-bis-(isocyanato)-4,7-methano-hexahydroindane, dicyclohexyl 2,4'-diisocyanate, dicyclohexyl 4,4'-diisocyanate, 2,6-hexahydrotolulene diisocyanate, 2,6-hexahydrotolulene diisocyanate, perhydro-2,4'-diphenylmethane diisocyanate, perhydro-4,4'-diphenylmethane diisocyanate, 1,3-phenylene diisocyanate, 1,4-phenylene diisocyanate, 4,4'-biphenyl diisocyanate, 4,4'-diisocyanato-3,3'dimethoxybiphenyl, 4,4'-diisocyanato-3,3'-dimethylbiphenyl, 3,3'-diphenylbiphenyl-4,4'diisocyanate, 2,4'-diphenylmethane diisocyanate, 4,4'-diphenylmethane diisocyanate, naphthylene 1,5-diisocyanate, 2,4- toluene diisocyanate, 2,6- toluene diisocyanate, N,N'-(4,4'-dimethyl-3,3'-diisocyanato-diphenyl)uretdione, m-xylylene diisocyanate,

Docket No.: 160P1582USWO

tetramethylxylene diisocyanate, 2,4,4'-triisocyanatodiphenyl ether, 4,4',4"-triisocyanatotriphenylmethane, tris (4-isocyanatophenyl) thiophosphate, or a mixture thereof.

- 18. (original): The composition of claim 17, wherein the polyisocyanate is a diisocyanate.
- 19. (original): The composition of claim 18, wherein the diisocyanate is 2,4- toluene diisocyanate, 2,6- toluene diisocyanate, 1,6-hexamethylene diisocyanate, 2,4'-disocyanato-diphenylmethane, 4,4'-disocyanato-diphenylmethane, 4,4'-diphenylmethane diisocyanate, 3-isocyanatomethyl-3,5,5-trimethyl-cyclohexyl isocyanate, bis(4-isocyanato-cyclohexyl)methane, dicyclohexyl 2,4'-diisocyanate, dicyclohexyl 4,4'-diisocyanate, or a mixture thereof.
- 20. (previously presented): The composition of claim 1, wherein the sulfonated polyol comprises a polyester, an alkyd or a mixture thereof.
- 21. (previously presented): The composition of claim 4, wherein the sulfonate groups are present in the form of ammonium, tertiary amine, calcium, copper, or iron salts.
- 22. (previously presented): The composition of claim 4, wherein the sulfonate groups are present in the form of alkali metal salts.
- 23. (original): The composition of claim 22, wherein the alkali metal salts are lithium, sodium or potassium.
- 24. (currently amended): The composition of claim 1, wherein the sulfonated <u>polyurethane</u> polymer comprises a derivative of 5-sulfo-isophthalic acid or salts thereof.
- 25. (previously presented): The composition of claim 1, wherein the polyurethane polymer further comprises a chain extension agent.

Docket No.: 160P1582USWO

- 26. (original): The composition of claim 25, wherein the chain extension agent is an alkyl amino alcohol, cycloalkyl amino alcohol, heterocyclic amino alcohol, polyamine, hydrazine, substituted hydrazine, hydrazide, amide, water or a mixture thereof.
- 27. (original): The composition of claim 25 wherein the chain extension agent comprises ethylene diamine, diethylene triamine, triethylene tetra amine, melamine or a mixture thereof.
- 28. (original): The composition of claim 25, wherein the chain extension agent comprises ethylene diamine.
- 29. (original): The composition of claim 25, wherein the chain extension agent comprises polyalkene oxide, a hydroxyl functional latex or amine functional latex.
- 30. (previously presented): The composition of claim 1, wherein the composition has a VOC less than about 3 percent, based on the total weight of the composition.
- 31. (original): The composition of claim 30, wherein the VOC is less than about 1 percent, based on the total weight of the composition.
- 32. (original): The composition of claim 31, wherein the VOC is substantially zero percent, based on the total weight of the composition.
- 33. (currently amended): A process for preparing a water dispersible polyurethane polyethylene vinyl polymer composition of claim 1 comprising;
  - a) blending a polyurethane prepolymer with one or more vinyl monomers, inert to isocyanate functionality;
  - b) dispersing the prepolymer/vinyl monomer blend into water;
  - c) chain extending the terminal isocyanate groups of the prepolymer with one or more active hydrogen containing compounds wherein the chain extended polyurethane prepolymer has

Docket No.: 160PI582USWO

- at least one sulfonate group and at least one curable ethylenic unsaturated i) group; and
- ii) terminal isocyanate groups or both terminal isocyanate groups and terminal vinyl groups; and
- d) reacting the vinyl monomers by free radical polymerization.
- 34. (previously presented): A composition comprising:
  - a sulfonated polyurethane polymer comprising the reaction product of:
    - iii) a polyisocyanate;
    - iv) a sulfonated polyol;
  - b) vinyl monomers; and
  - c) water;

wherein the sulfonated polyurethane polymer comprises ethylenic groups; and the composition has a VOC of less than about 5 % based on the total weight of the composition.

- 35. (previously presented): The composition of claim 34, wherein the vinyl monomers are reacted to form a polymer.
- 36. (previously presented): The composition of claim 35, wherein the polyurethane polymer further comprises a sulfonated polyol without ethylenic groups.
- 37. (previously presented): The composition of claim 35, wherein the polyurethane polymer further comprises a sulfonated polyol with ethylenic groups.